

Ackerman, Joyce

From:

Tobi L. Moore <tmoore@ACTEnviro.com>

Sent:

Friday, April 27, 2018 1:03 PM

To:

Ackerman, Joyce

Subject: Attachments:

Phase 1 Stock Pile Profile Approval ATT00001.txt; Phase 1 Stockpiles.pdf

Per your request.

Tobi Moore | General Manager ACTenviro Tel. (720) 519-0595 Cell (303) 517-8815 Web | LinkedIn | Facebook

×	
	•
	•

This information transmitted is intended only for the person or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon, this information by persons or entities other than the intended recipients is prohibited. If you received this in error, please contact the sender and delete the material from any computer.

	St	atus:	APPROVED	
			Approval #:	
Waste profile name: Phase 1 Stock Piles	Waste Consections inc.		FR18024	
ID: 2f6f4eca-ada5-4d0f-89cb-90302d674d87			Expires On: 4/26/19	
The state of the s		***************************************		
GENERATOR			}	
Name: Stratus Redtail Ranch, LLC				
Address: .1831 E County Road 5	City: Erie .	State:	co	
Postal Code: 80516 County: Boulder				
AND	TO THE RESIDENCE OF THE PROPERTY OF THE PROPER		A COLUMN TO SERVICE AND THE SE	
MATERIAL ORIGIN				
Address: 1831 E County Road 5	City: Erie	State:	CO	
Postal Code: 80516 County: Boulder	•			
EPA ID: COR000244596 State ID: N/A				
A Part Communication (National Control of Co	The second secon		and the second s	
DESTINATION WASTE FACILITY				
Name: Front Range Landfill			i .	
Address: 1830 Company Rd 5	City: Erie	State:	CO]	
Postal Code: 80516 County:			·	
A programment of the community of the co			graph a property of the specific of the specif	
BILLING			3	
Name: Advanced Chemical Transport, Inc.				
Address: 6511 Colorado Bivd	City: Commerce City	State:	CO .	
Postal Code: 89022 County:				
Tear that have been a superference of the control o	S DE CESTION DE CONTESTA DE MINISTER DE MANAGEMENT DE LA CONTESTA DE LA CONTESTA DE LA CONTESTA DE LA CONTESTA L'ANNE CENTRE DE L'ANNE DE L'A		THE RESIDENCE OF STREET, STUDYING SAME AS A COMMUNICATION OF THE STREET, AND A STREET, THE	
TRANSPORTER			· ·	
Transponer Name:				
MATERIAL	n y neer taan ka araa aa ka araa ka araa yaayaa yaayaa yaayaa yaya yay		a garantee de la contra del la cont	
Is this an Industrial Waste Stream?			:	
Common Name: PHASE 1 STOCK PILES				
Generation Process: SOIL REMOVED DURING DRUM EXCAVATION IN PHASE 1 PIT.				
Preferred Disposal Methods: NH001				
Source of Contamination: MISCELLANEOUS DRUMS OF SOLVENTS			WANT CAMBER OF THE CONTROL OF THE	
MATERIAL COMPOSITION			• i	
Constituent SOIL	100% TO 100%			
State Waste Codes: N/A				
Color: BROWN			:	
project primer in the transcent company and appropriate primer and the contract of the contrac				
Physical state at 70° F: Solid Liquid Sludge Dust Other	•		,	
pH N/A			:	
Strong Odor No Describe Ode	OF			
Reactivity. No			:	
Flash Point () < 140°F () 140°-199°F (() > 200°F () N/A				
Control of the Contro		.,	to provide the transfer of the contract of the	
REGULATORY			:	
EPA Hazardous Waste? () Yes (No			}	
If No, Attached Non-Hazardous Determination Document(s) (Check all ti				
Process Knowledge Process	Details	di articolori articolori de Compan	·	
C) .sDs			; ;	
Certified Analytical Sample	•		:	
is the data derived from testing a representative sample in accordance with 40 CFR 261 and/or other applicable laws? 🌑 Yes : 🕥 No				
NLF-SS-PHASE1-SP103-030718,				
If Yes, Type of Analytical Sample 🚳 Composite	Grab Sample ID # -SP201-030718, -SP40	1-030718		
Exempt Waste				
Applicable Exempt Waste Item			·	

UST Corrective Action - 40 CFR 261.4 (b)(10) ← RCRA-Empty Containers - 40 CFR 261.7 ← Other) PCB Bulk Product Waste - 40 CFR 761.62 Oil & Gas E&P Waste - 40 CFR 261.4 (b)(5)			
If Other, Provided reference	AND A MAY THE PROPERTY OF THE			
State Hazardous Weste? Yes No				
ls this material non-hazardous due to treatment, delisting, or exclusion? () Yes 🚳 No				
From an industry regulated under Benzene NESHAP? Yes 🚳 No				
Facility remediation subject to 40 CFR 63 GGGGG? Yes No				
CERCLA or State-Mandated clean-up? Yes No				
If Yes, Please submit the Record of Decision or other documentation to assist others in the evaluation for proper disposal.				
Regulated, Licensed or NORM Radioactive Waste? O Yes 🚳 No				
Contains PCBs? Yes No	·			
Regulated and/or Untreated Medical/Infectious Waste? () Yes () No	•			
Contains Asbestos? Yes No				
Subject to RCRA Subpart CC controls? Yes No				
	TO ASSESS ASSESSMENT OF COMMENDATE PROTECTION OF THE PROPERTY OF THE COMMEND ASSESSMENT OF THE C			
SHIPPING & DOT				
Event Frequency One Time On-Going				
Estimated Annual Qty 50-150 TONS	Unit of Measure Tons Yards Drums Gallons Other			
Shipping Frequency	1 END			
Once Daily Weekly Monthly Other	Qty Per Shipment DUMP			
Container Type 15-25 TON	Container Size 25 YARD			
: : USDOT Shipping Name NON RCRA REGULATED SOLIDS (SOIL)	•			
	king tingga anama anaman anama king anaman anaman anaman anaman anaman. Ana akka canta tanan anaman anaman anam Bir kingga anama anaman anaman anaman anaman anaman anaman anaman anaman. Anaman anaman anaman anaman anaman a			
PROFILE CERTIFICATION				
information provided herein, including any supplemental information, such as laboratory a that all known or suspected hazards have been disclosed. I understand that, once the wascurce, composition, constituents or characteristics of the waste stream from the information.	ats is complete and accurate to the best of my knowledge and ability to determine; (2) the nalytical, MSDS, etc., accurately describes the waste stream to be delivered to the facility and ste stream is approved by Destination Facility based on this information, any deviation in the ion described herein, may render the waste stream unacceptable for disposal, at the sole on contained herein will require immediate notification to the Destination Facility and cessation of			
Tobi Moore				
Certified on 4/23/18 by Tobi Moore as a Authorized Agent of Advanced Chemical Transport, Inc.				
@ Environmental Data Systems LLC 2019				